

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

A MCKENZIE COMPANY

Initial preparation date: 10.20.2019

Page 1 of 14

### DEODORIZER WASH-TAXIDERMY

#### SECTION 1: Identification

##### Product identifier

**Product name:** DEODORIZER WASH-TAXIDERMY

**Product code:** D800, 14-8912-1, 14-8912-2, 14-8912-3

##### Recommended use of the product and restriction on use

**Relevant identified uses:** Cleaner, deodorizer wash.

**Uses advised against:** Any use other than recommended above.

**Reasons why uses advised against:** Not determined or not applicable.

##### Manufacturer or supplier details

###### Manufacturer:

###### United States

Knobloch Corp.

A McKenzie Company

P.O. Box 480

Granite Quarry, NC 28072

704-279-8363

###### Bauer Handels GmbH



Vertrieb Schweiz:

Bauer Handels GmbH

Allmendstrasse 17

CH-8320 Fehraltorf

Tel. +41 (0) 44 939 18 68

Vertrieb Deutschland & EU:

Bauer Handels GmbH

Freibühlstrasse 6

DE-78224 Singen

Tel. +49 (0) 7731 926 44 16

##### Emergency telephone number:

###### United States

CHEMTREC

1800-424-9300 (24 Hours)

[www.taxidermy.ch](http://www.taxidermy.ch)

[info@taxidermy.ch](mailto:info@taxidermy.ch)

#### SECTION 2: Hazard(s) identification

##### GHS classification:

Skin irritation, category 2

Skin sensitization, category 1

Serious eye damage, category 1

Acute toxicity (oral), category 4

##### Label elements

###### Hazard pictograms:



**Signal word:** Danger

##### Hazard statements:

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H302 Harmful if swallowed

##### Precautionary statements:

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 2 of 14

### DEODORIZER WASH-TAXIDERMY

- P264 Wash skin thoroughly after handling  
P280 Wear protective gloves/protective clothing/eye protection/face protection  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P272 Contaminated work clothing must not be allowed out of the workplace  
P270 Do not eat, drink or smoke when using this product  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P321 Specific treatment (see Sections 4 - 8 of this SDS and any additional information on the product label.).  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention  
P363 Wash contaminated clothing before reuse  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 Immediately call a POISON CENTER or doctor/physician.  
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
P330 Rinse mouth  
P501 Dispose of contents/container in accordance with all local, regional, state and federal regulations.

Hazards not otherwise classified: None

### SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 68081-81-2	Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	15-35
CAS number: 1300-72-7	Sodium xylenesulfonate	1-10
CAS number: 91-64-5	Coumarin	<0.25
CAS number: 138-86-3	Dipentene	<1
CAS number: 107-41-5	Hexylene Glycol	1-5
CAS number: 115-95-7	Linalyl acetate	<0.5
CAS number: 8002-09-3	Pine oil	1-10
CAS number: 64-17-5	Ethanol	1-5
CAS number: 141-78-6	Ethyl acetate	<0.5
CAS number: 67-56-1	Methanol	<0.25
CAS number: 108-10-1	4-Methylpentan-2-one	<0.25
CAS number: 57-55-6	Propane-1,2-diol	1-10

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 3 of 14

## DEODORIZER WASH-TAXIDERMY

### Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Show this Safety Data Sheet to the doctor in attendance. Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

#### After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

#### After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### After eye contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

#### After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Causes serious eye damage. Symptoms include redness, tearing, burning sensation, pain, inflammation and loss of vision.

Causes skin irritation. Symptoms include redness, itching, discomfort and inflammation.

May cause an allergic skin reaction. Symptoms include rash, itching, burning, inflammation and redness. Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

#### Delayed symptoms and effects:

Symptoms of exposure may be delayed.

### Immediate medical attention and special treatment

#### Specific treatment:

In case of eye contact; seek prompt medical attention while rinsing is continued.

#### Notes for the doctor:

Treat symptomatically.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 4 of 14

## DEODORIZER WASH-TAXIDERMY

### SECTION 5: Firefighting measures

#### Extinguishing media

##### Suitable extinguishing media:

Alcohol- resistant foam, Dry chemical or Carbon dioxide

##### Unsuitable extinguishing media:

Do not use water jet as an extinguisher.

#### Specific hazards during fire-fighting:

Thermal decomposition may produce irritating and toxic fumes including carbon oxides, sulfur oxides and sodium oxides.

#### Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective gear and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### Special precautions:

Move containers from area of fire, if safe to do so. Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with eyes, skin and clothing. Avoid breathing dust, mist, vapor, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material (e.g. sand, earth, vermiculite, diatomaceous earth). Place recovered product in appropriate container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to other sections:

For disposal see section 13.

For personal protection see section 8.

### SECTION 7: Handling and storage

#### Precautions for safe handling:

Wear recommended personal protective equipment (see section 8). Only use with adequate ventilation. Do not taste or swallow. Avoid contact with eyes, skin and clothing. Avoid breathing mist/vapor/spray. Do not eat, drink or smoke while handling this product. Wash hands, forearms and face after handling. Keep away from incompatible materials (see Section 10). Keep containers tightly closed when not in use.

#### Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use

### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 5 of 14

### DEODORIZER WASH-TAXIDERMY

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL	Dipentene	138-86-3	8-Hour TWA: 165.5 mg/m <sup>3</sup> (30 ppm)
	Propane-1,2-diol	57-55-6	8-Hour TWA: 10 mg/m <sup>3</sup>
NIOSH	Hexylene Glycol	107-41-5	REL: 25 ppm (Ceiling)
	Ethanol	64-17-5	TWA: 1000 ppm (up to 10 hr.)
	Ethanol	64-17-5	TWA: 1900 mg/m <sup>3</sup> (up to 10 hr.)
	Ethanol	64-17-5	IDLH: 3300 ppm
	Ethyl acetate	141-78-6	TWA: 400 ppm (up to 10 hr)
	Methanol	67-56-1	TWA: 200 ppm (for up to a 10-hour workday during a 40-hour workweek)
	Methanol	67-56-1	15-Minute STEL: 250 ppm (for up to a 10-hour workday during a 40-hour workweek)
	4-Methylpentan-2-one	108-10-1	TWA: 50 ppm (up to 10 hr.)
	4-Methylpentan-2-one	108-10-1	TWA: 205 mg/m <sup>3</sup> (up to 10 hr.)
	4-Methylpentan-2-one	108-10-1	15-Minute STEL: 75 ppm
	4-Methylpentan-2-one	108-10-1	15-Minute STEL: 300 mg/m <sup>3</sup>
	Ethyl acetate	141-78-6	TWA: 1400 mg/m <sup>3</sup> (up to 10 hr.)
	Ethyl acetate	141-78-6	IDLH: 2000 ppm
	Methanol	67-56-1	TWA: 260 mg/m <sup>3</sup> (for up to a 10-hour workday during a 40-hour workweek)
	Methanol	67-56-1	15-Minute STEL: 325 mg/m <sup>3</sup>
	ACGIH	Methanol	67-56-1
4-Methylpentan-2-one		108-10-1	IDLH: 500 ppm
Hexylene Glycol		107-41-5	8-Hour TWA: 25 ppm ((vapor fraction) ACGIH - TLV)
Hexylene Glycol		107-41-5	15-Minute STEL: 50 ppm ((vapor fraction) ACGIH - TLV)
Hexylene Glycol		107-41-5	15-Minute STEL: 10 mg/m <sup>3</sup> ((inhalable particulate matter, aerosol only) ACGIH - TLV)
Ethanol		64-17-5	15-Minute STEL: 1000 ppm
Ethyl acetate		141-78-6	8-Hour TWA: 400 ppm
Methanol		67-56-1	8-Hour TWA: 200 ppm
Methanol		67-56-1	15-Minute STEL: 250 ppm
OSHA	4-Methylpentan-2-one	108-10-1	TWA: 20 ppm
	4-Methylpentan-2-one	108-10-1	STEL: 75 ppm
	Ethanol	64-17-5	8-Hour TWA-PEL: 1000 ppm
	Ethanol	64-17-5	8-Hour TWA-PEL: 1900 mg/m <sup>3</sup>
	Ethyl acetate	141-78-6	8-Hour TWA-PEL: 1400 mg/m <sup>3</sup>
	Methanol	67-56-1	8-Hour TWA-PEL: 200 ppm
Methanol	67-56-1	8-Hour TWA-PEL: 260 mg/m <sup>3</sup>	
4-Methylpentan-2-one	108-10-1	8-Hour TWA-PEL: 100 ppm	

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 6 of 14

## DEODORIZER WASH-TAXIDERMY

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	4-Methylpentan-2-one	108-10-1	8-Hour TWA-PEL: 410 mg/m <sup>3</sup>
	Ethyl acetate	141-78-6	8-Hour TWA-PEL: 400 ppm
United States(California)	Methanol	67-56-1	15-Minute STEL: 250 ppm (Cal/OSHA)
	Methanol	67-56-1	15-Minute STEL: 325 mg/m <sup>3</sup> (Cal/OSHA)
	4-Methylpentan-2-one	108-10-1	8-Hour TWA-PEL: 205 mg/m <sup>3</sup> (Cal/OSHA)
	4-Methylpentan-2-one	108-10-1	15-Minute STEL: 300 mg/m <sup>3</sup> (Cal/OSHA)
	Methanol	67-56-1	PEL Ceiling: 1000 ppm (Cal/OSHA)
	4-Methylpentan-2-one	108-10-1	8-Hour TWA-PEL: 205 mg/m <sup>3</sup> (Cal/OSHA)
	4-Methylpentan-2-one	108-10-1	15-Minute STEL: 75 ppm (Cal/OSHA)

### Biological limit values:

Substance	Identifier	Determinant	Sampling time	Permissible limits
Methanol	67-56-1	Methanol in Urine	End of Shift	15 mg/L

### Information on monitoring procedures:

Not determined or not applicable.

### Appropriate engineering controls:

Use local exhaust, mechanical ventilation or additional engineering measures to maintain airborne concentration below any occupational exposure limits. Ensure that Emergency eye wash station and safety shower are in good working order and in the immediate vicinity of any possible exposure.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or safety glasses with side shields

#### Skin and body protection:

Chemical-resistant, impervious gloves, complying with an approved standard should be worn at all times when handling chemical products. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Wear a properly fitted, air-purifying or air-fed respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 7 of 14

## DEODORIZER WASH-TAXIDERMY

### General hygienic measures:

Handle in accordance with good industrial hygiene and safety measures. Wash hands and face after handling chemical products. Wash hands before eating, drinking and smoking. Wash hands at the end of the workday. Appropriate techniques should be applied to remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Clear, Light Amber Liquid
Odor	Strong leathery odor
Odor threshold	Not determined or not available.
pH	5.5
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	200° F.
Flash point (closed cup)	> 300° F.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	(water=1): 0.945
Solubilities	100% in Water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

### Other information

## SECTION 10: Stability and reactivity

### Reactivity:

Not reactive under recommended storage and handling conditions.

### Chemical stability:

Stable under normal storage and handling conditions.

### Possibility of hazardous reactions:

Under normal conditions of storage and use, hazardous reactions will not occur.

### Conditions to avoid:

Extreme heat; Open flame; Ignition sources; Static electricity; Direct sunlight; Incompatible materials

### Incompatible materials:

Strong oxidizers; Strong bases; Strong Acids

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 8 of 14

## DEODORIZER WASH-TAXIDERMY

### Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### Acute toxicity

#### Assessment:

Harmful if swallowed.

**Product data:** No data available.

#### Substance data:

Name	Route	Result
Coumarin	oral	LD50 Rat: 520 mg/kg
Hexylene Glycol	oral	LD50 Rat: 3700 mg/kg
	inhalation	LC50 Rat: 310 mg/m <sup>3</sup>
	dermal	LD50 Rabbit: 8560 mg/kg
Pine oil	dermal	LD50 Rabbit: 5000 mg/kg
	oral	LD50 Rat: 3200 mg/kg
Ethanol	oral	LD50 Rat: 10470 mg/kg
	inhalation	LC50 Rat: 116.9 mg/L (4 hr)
	dermal	LD50 Rabbit: 17,100 mg/kg
4-Methylpentan-2-one	inhalation	LC50 Mouse: 5688 ppmV
		LC50 Rat: 100,000 mg/m <sup>3</sup>
	oral	LD50 Rat: 2080 mg/kg
dermal	LD50 Rabbit: >3000 mg/kg	
Propane-1,2-diol	oral	LD50 Rat: 21,000 - 33,700 mg/kg
	dermal	LD50 Rabbit: >2000 mg/kg
Linalyl acetate	oral	LD50 Rat: > 9000 mg/kg
	dermal	LD50 Rabbit: > 5000 mg/kg
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	oral	LD50 Rat: >1000 mg/kg
Ethyl acetate	oral	LD50 Rat: 5620 mg/kg
	dermal	LD50 Rabbit: 20,000 mg/kg
	inhalation	LC50 Rat: 20,000 mg/m <sup>3</sup>
Methanol	oral	LD50 Rat: 5628 mg/kg
	dermal	LD50 Rabbit: 15,800 mg/kg
	inhalation	LC50 Rat: 64,000 ppmV (4 hr.)
Dipentene	oral	LD50 Rat: 5000 mg/kg
	dermal	LD50 Rabbit: 5000 mg/kg

### Skin corrosion/irritation

#### Assessment:

Causes skin irritation.

#### Product data:

No data available.

#### Substance data:



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 9 of 14

### DEODORIZER WASH-TAXIDERMY

Name	Result
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	Causes skin irritation.
Sodium xylenesulfonate	Causes skin irritation.
Dipentene	Causes skin irritation.
Hexylene Glycol	Causes skin irritation.
Linalyl acetate	Causes skin irritation.
Pine oil	Causes skin irritation.

#### Serious eye damage/irritation

**Assessment:**

Causes serious eye damage.

**Product data:**

No data available.

**Substance data:**

Name	Result
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	Causes serious eye damage.
Sodium xylenesulfonate	Causes serious eye irritation.
Hexylene Glycol	Causes serious eye irritation.
Linalyl acetate	Causes serious eye irritation.
Pine oil	Causes serious eye irritation.
Ethyl acetate	Causes serious eye irritation.
4-Methylpentan-2-one	Causes serious eye irritation.

#### Respiratory or skin sensitization

**Assessment:**

May cause an allergic skin reaction.

**Product data:**

No data available.

**Substance data:**

Name	Result
Coumarin	May cause an allergic skin reaction.
Dipentene	May cause an allergic skin reaction.
Linalyl acetate	May cause an allergic skin reaction.
Pine oil	May cause an allergic skin reaction.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Species	Result
Coumarin	Not Applicable	There is limited evidence in experimental animals for the carcinogenicity of coumarin.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 10 of 14

## DEODORIZER WASH-TAXIDERMY

### International Agency for Research on Cancer (IARC):

Name	Classification
Coumarin	Group 3
Ethanol	Group 1
4-Methylpentan-2-one	Group 2B
Dipentene	Not Applicable

### National Toxicology Program (NTP):

Name	Classification
Dipentene	Not Applicable

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	May cause respiratory irritation.
Sodium xylenesulfonate	May cause respiratory irritation.
Ethyl acetate	May cause drowsiness or dizziness.
Methanol	Causes damage to Optic nerve (nervus opticus), central nervous system.
4-Methylpentan-2-one	May cause respiratory irritation.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 11 of 14

## DEODORIZER WASH-TAXIDERMY

### Substance data:

Name	Result
Pine oil	May be fatal if swallowed and enters airways.

### Information on likely routes of exposure:

Inhalation; Ingestion; Skin contact; Eye Contact

### Symptoms related to the physical, chemical and toxicological characteristics:

Refer to Section 4 of this SDS.

### Other information:

No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

#### Assessment:

Harmful to the Aquatic Environment.

**Product data:** No data available.

#### Substance data:

Name	Result
4-Methylpentan-2-one	LC50 Danio rerio: $\geq$ 179 mg/L (96h)
Propane-1,2-diol	EC50 Daphnia magna: 43500 mg/L (48 hr)
	LC50 Oncorhynchus mykiss: 40613 mg/L (96 hr)
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	LC50 Lepomis macrochirus: 1.67 mg/L (96 hr. (Estimated))
	EC50 Hyalella azteca: 3.5 mg/L mg/L (96 hr. (Estimated))

### Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Result
4-Methylpentan-2-one	NOEC Daphnia magna: 30-35 mg/L (21d)
Propane-1,2-diol	EC50 Selenastrum capricornutum: 18,100 mg/L (14 days)
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	NOEC Tilapia mossambica: 0.25 mg/L (90 day (Estimate))
Coumarin	NOEC Daphnia: 0.5 mg/L (21 days)

### Persistence and degradability

**Product data:** No data available.

#### Substance data:

Name	Result
Dipentene	Reported to undergo biodegradation under aerobic conditions, but is resistant to biodegradation under anaerobic conditions.

### Bioaccumulative potential

**Product data:** No data available.

#### Substance data:

Name	Result
Dipentene	High potential for bioconcentration in aquatic organisms (estimated BCF of 480).

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 12 of 14

## DEODORIZER WASH-TAXIDERMY

### Mobility in soil

Product data: No data available.

#### Substance data:

Name	Result
Dipentene	Expected to have low mobility in soil based on an estimated Koc value of 1100.

Other adverse effects: No data available.

## SECTION 13: Disposal considerations

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory agencies. Dispose of in accordance with all applicable local, regional, state and federal regulations.

### Contaminated packages:

Not determined or not applicable.

## SECTION 14: Transport information

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 10.20.2019

Page 13 of 14

## DEODORIZER WASH-TAXIDERMY

### SECTION 15: Regulatory information

#### United States regulations

**Inventory listing (TSCA):** All product ingredients listed.

**Significant New Use Rule (TSCA Section 5):** No product ingredients listed.

**Export notification under TSCA Section 12(b):** No product ingredients listed.

**SARA Section 302 extremely hazardous substances:** No product ingredients listed.

**SARA Section 313 toxic chemicals:**

67-56-1	Methanol	Listed
108-10-1	4-Methylpentan-2-one	Listed

#### CERCLA:

141-78-6	Ethyl acetate	Listed	5000 lb
67-56-1	Methanol	Listed	5000 lbs
108-10-1	4-Methylpentan-2-one	Listed	5000 lb

#### RCRA:

141-78-6	Ethyl acetate	Listed	U112
67-56-1	Methanol	Listed	U154
108-10-1	4-Methylpentan-2-one	Listed	U161

**Section 112(r) of the Clean Air Act (CAA):** No product ingredients listed.

#### Massachusetts Right to Know:

107-41-5	Hexylene Glycol	Listed
64-17-5	Ethanol	Listed
141-78-6	Ethyl acetate	Listed
67-56-1	Methanol	Listed
108-10-1	4-Methylpentan-2-one	Listed

#### New Jersey Right to Know:

138-86-3	Dipentene	Listed
107-41-5	Hexylene Glycol	Listed
8002-09-3	Pine oil	Listed
64-17-5	Ethanol	Listed
141-78-6	Ethyl acetate	Listed
67-56-1	Methanol	Listed
108-10-1	4-Methylpentan-2-one	Listed
57-55-6	Propane-1,2-diol	Listed

#### New York Right to Know:

138-86-3	Dipentene	Listed
107-41-5	Hexylene Glycol	Listed
8002-09-3	Pine oil	Listed
64-17-5	Ethanol	Listed
141-78-6	Ethyl acetate	Listed
67-56-1	Methanol	Listed
108-10-1	4-Methylpentan-2-one	Listed

#### Pennsylvania Right to Know:

138-86-3	Dipentene	Not Listed
107-41-5	Hexylene Glycol	Listed

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200


Initial preparation date: 10.20.2019


Page 14 of 14

## DEODORIZER WASH-TAXIDERMY

64-17-5	Ethanol	Listed
141-78-6	Ethyl acetate	Listed
67-56-1	Methanol	Listed
108-10-1	4-Methylpentan-2-one	Listed
57-55-6	Propane-1,2-diol	Listed

### California Proposition 65:

 **WARNING:** This product can expose you to Methanol; which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

 **WARNING:** This product can expose you to 4-Methylpentan-2-one; which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 3-0-0

**HMIS:** 3-0-0

**Initial preparation date:** 10.20.2019

**End of Safety Data Sheet**